PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 96/17611 (51) International Patent Classification 6: (11) International Publication Number: A1 A61K 31/53, 9/00, 9/20 13 June 1996 (13.06.96) (43) International Publication Date: (21) International Application Number: PCT/GB95/02865

GB

7 December 1995 (07.12.95) (22) International Filing Date:

7 December 1994 (07.12.94)

(71) Applicant (for all designated States except US): THE WELL-COME FOUNDATION LIMITED [GB/GB]; Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6

ONN (GB).

(72) Inventors; and (75) Inventors/Applicants (for US only): HISKETT, Simon, Philip [GB/GB]; Temple Hill, Dartford, Kent DA1 5AH (GB). TAYLOR, Susan, Ann [GB/GB]; Temple Hill, Dartford, Kent DA1 5AH (GB).

(74) Agent: WOODS, Geoffrey, Corlett, J.A. Kemp & Co., 14 South Square, Gray's Inn, London WCIR 5LX (GB).

(81) Designated States: AL, AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CP, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TO), ARIPO patent (KE, LS, MW, SD, SZ, UG).

Published With international search report.

(54) Title: PHARMACEUTICAL COMPOSITION COMPRISING LAMOTRIGINE

(57) Abstract

(30) Priority Data:

9424766.5

A pharmaceutical formulation comprises: (a) from 0.5 to 50 % by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof, (b) from 15 to 50 % by weight of factose, (c) from 15 to 50 % by weight of starch, (d) from 0.5 to 15 % by weight of crystalline cellulose, and (e) from 5 to 15 % by weight of polyvinylpymolidone, and which is in the form of a free-flowing powder of granules having the following properties: (i) no granules have a particle size of greater than 850 µm, (ii) at least 90 % by weight of the granules have a particle size of from 75 to 850 µm, (iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeis of Japan, twelfth edition, 1991, and (Iv) at least 90 % by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeta of Japan, twelfth edition, 1991.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Ameralia	GB	Georgia	MW	Malawi
88	Barbados	GN	Guines	NE	Niger
DE	Belgium	GR	Grecce	NL	Netherlands
BF	Burkina Feso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	treland	NZ	New Zealand
B.I	Benin	iπ	ltaly	PL	Poland .
		JP	Japan	PT	Portugal .
BR	Brazil	KE	Kenya	RO	Romania
BY	Beisrus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
C7	Central African Republic	* *	of Korea	SE	Sweden
ÇG	Congo	acr.	Republic of Kores	SI	Slovenia
CH	Switzerland		Kezakhstan	SK	Slovakia
CI	Côte d'Ivoire	KZ	Liechanstein	52N	Senegal
CM	Cameroon	u		110	Chad
CN	China	LK	Sri Lanka	TG	Togo
CZ	Czechoslovakia	เม	Loxembourg	T)	Tajikhtan
CZ	Czech Republic	LV	Latvia	-	Trinidad and Tobego
DE	Germany	MC	Monaco	17	
DK	Demnark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Мададарска	US	United States of America
		ML	Mali	UZ	Uzbekiman .
FI	Finland	MN		VN	Vict Nam
P R	Prance	MIN	Mongolia	•••	•
GA	Gabon				

PHARMACEUTICAL COMPOSITION COMPRISING LAMOTRIGINE

The present invention relates to a pharmaceutical formulation of lamotrigine and pharmaceutically acceptable acid addition salts thereof. The invention also relates to the preparation of such a formulation.

Lamotrigine is 3,5-diamino-6-(2,3-dichlorophenyl)1,2,4-triazine. It is disclosed in EP-A-0021121.

Lamotrigine is useful for the treatment of epilepsy. No powder formulation of lamotrigine or one of its salts is
10 currently available.

Pharmaceutical formulations in powder form can be prepared by a fluid bed granulating process or spray granulation. However, such processes represent a complex interaction of processing variables.

We have now prepared a number of powder formulations of lamotrigine. Only one type of formulation, however, proved to be entirely satisfactory. Accordingly, the present invention provides a pharmaceutical formulation which comprises:

- 20 (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
 - (b) from 15 to 50% by weight of lactose,
 - (c) from 15 to 50% by weight of starch,
- (d) from 0.5 to 15% by weight of crystalline 25 cellulose, and
 - (e) from 5 to 15% by weight of
 polyvinylpyrrolidone,
 and which is in the form of a free-flowing

and which is in the form of a free-flowing powder of granules having the following properties:

- 30 (i) no granules have a particle size of greater than 850µm,
 - (ii) at least 90% by weight of the granules have a particle size of from 75 to $850\mu m$,
- (iii) the granules disintegrate within 30 minutes 35 according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and
 - (iv) at least 90% by weight of the lamotrigine or

lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991.

The formulation of the invention is provided by a process which comprises spray-granulating:

- (a) from 0.5 to 50% by weight of lamotrigine or a lamotrigine salt,
 - (b) from 15 to 50% by weight of lactose,
 - (c) from 15 to 50% by weight of starch, and
- (d) from 0.5 to 15% by weight of crystalline cellulose,

in the presence of, as a binder:

(e) from 5 to 15% by weight of 15 polyvinylpyrrolidone.

The granules of which the powder of the invention is composed are agglomerates. The lamotrigine or lamotrigine salt is provided on particles of lactose and starch which each act as an adsorbent bulking agent. A homogenous powder mixture comprising components (a) to (d) may be formed as a pre-blend prior to starting the spray granulation procedure. The presence of the lactose aids the formation of this pre-blend. The crystalline cellulose confers disintegrant and dissolution properties on the granules. The polyvinylpyrrolidone acts as a binder.

Any suitable lamotrigine salt which is a pharmaceutically acceptable acid addition salt can be used. Preferred salts are the methanesulphonate and isethionate salts. These salts can be made by reacting lamotrigine as the free base with the appropriate acid.

Preferably up to 98% by weight of the granules of the invention have a particle size of from 75 to $850\mu m$. At least 92% by weight of the granules may have such a particle size, for example from 92 to 95% by weight of the granules. Preferably no more than 5% by weight of the granules have a particle size greater than $500\mu m$, for example no more than 3% by weight. Desirably, no granules

20

at all have a particle size greater than $500\mu m$. Particle size is determined by the Particle Size Distribution Test for Powders, The Pharmacopoeia of Japan, twelfth edition, 1991.

Typically, at least 90% by weight of the lamotrigine or lamotrigine salt in the granules is dissolved within 15 minutes according to the Dissolution Test, method 2 (paddle method). The amount of lamotrigine dissolved is determined by an appropriate physicochemical technique, for example by 10 ultraviolet (UV) analysis or by high pressure liquid chromatography (hplc).

The powder of the invention is generally dust-free. It is preferably white although it may be white to offwhite. A colourant could be present, though. It is free-15 flowing, as may be determined by the eye. Typically the bulk density of the powder is from 0.3 to 0.6 g/cm3, for example from 0.35 to 0.50 g/cm 3 or from 0.36 to 0.40 g/cm 3 . Residual moisture levels are generally from 0.5 to 5.0% by weight, for example from 1 to 3% by weight.

Preferred formulations contain from 0.5 to 30% by weight of lamotrigine or a lamotrigine salt. Formulations may thus contain from 0.5 to 20% by weight, for example from 0.5 to 15% by weight or from 1 to 10% by weight, of lamotrigine or a lamotrigine salt. Particularly preferred 25 are formulations containing 1%, 2%, 5% or 10% by weight of lamotrigine or a lamotrigine salt.

The amounts of lactose and starch in the formulations are greater the smaller the amount of lamotrigine or lamotrigine salt that is present. The starch is preferably 30 corn starch. Suitable amounts of lactose and starch may be from 15 to 45% by weight, for example from 30 to 45% by weight or from 35 to 45% by weight or from 40 to 45% by Preferably the amount of lactose is 70 to 130%, for example 90 to 110%, the amount of starch. Typically, 35 the amounts of lactose and starch are the same.

The powders of the invention may contain from 3 to 8% by weight, for example from 3.5 to 6% by weight, of

crystalline cellulose. Powders containing 5% by weight of crystalline cellulose are preferred.

Preferably the amount of polyvinylpyrrolidone present is from 5 to 10% by weight, for example from 6 to 9% by weight, of the formulation. Powders containing 8% by weight of polyvinvylpyrrolidone are preferred.

A preferred formulation of the invention comprises:

- (a') from 0.5 to 15% by weight of lamotrigine or a lamotrigine salt,
 - (b') from 35 to 45% by weight of lactose,
 - (c') from 35 to 45% by weight of starch,
- (d') from 3.5 to 6% by weight of crystalline cellulose, and
 - (e') from 6 to 9% by weight of polyvinylpyrrolidone.

An especially preferred formulation comprises 1% by weight of lamotrigine, 43% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone. Another especially preferred formulation comprises 10% by weight of

lamotrigine, 38.5% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.

A formulation of the invention is prepared by a process which comprises spray-granulating the lamotrigine or lamotrigine salt, lactose, starch, crystalline cellulose in the presence of, as a binder, the polyvinylpyrrolidone. The lamotrigine salt, lactose, starch and crystalline cellulose are each provided as powders having particle sizes, for example average particle sizes, well below 850µm and, indeed, below 200µm. These four components may be pre-blended as a uniform mixture prior to the spray granulation step.

A solution of polyvinylpyrrolidone is prepared as a binder solution. The solution may be an aqueous or aqueous/ethanolic solution. A proportion of the polyvinylpyrrolidone, for example from 30 to 60% by weight or more especially 50% by weight, may be pre-blended with

WO 96/17611 PCT/GB95/02865

- 5 -

the lamotrigine or lamotrigine salt, lactose, starch and crystalline cellulose.

A fluid bed granulation process is employed to obtain the powder of the invention. A rotary-type fluid 5 granulator is typically used. The lamotrigine or lamotrigine salt, lactose, starch and crystalline cellulose are introduced in powder form into the granulator, for example as a pre-blended mixture. The binder solution is sprayed onto the fluidising powder. The particles of the 10 fluidising powder adhere to one another. The desired granules form. The conditions under which granulation is effected can be adjusted as appropriate.

The granules thus obtained may be sieved to ensure that the appropriate particle size requirements are met. 15 Thus, the granules may be sieved through a sieve of $850\mu m$ mesh size to ensure no granules having a particle size of greater than $850\mu m$ are present. Further, the granules may be sieved through a sieve of 500 µm mesh size to ensure that no more than 5% by weight of the granules have a particle 20 size greater than 500 mm. Yet further, the granules may be sieved through a sieve of 75 µm mesh size. Indeed, the granules obtained from the granulator may be passed to a sieve stack fitted with 850, 500 and 75 µm sieves. Oversized and undersized materials are rejected.

The lamotrigine or lamotrigine salt employed as a starting material typically has a particle size of $125\mu m$ or The starting lactose generally has a particle size of below 250 μ m, especially 200 μ m or less such as from 50 to $200\mu m$. The lactose may be an anhydrous lactose, for 30 example direct compression lactose such as Lactose DCL21, or lactose monohydrate.

25

The particle sizes of Lactose DCL21 and another grade of lactose that can be used, Lactose DMV200, are as follows:

	DCL 21		DCL 200 II	
		Approx		Approx
	> 50µm	85*	> 45µm	40-50%
	> 150µm	40%	> 63µm	17-22%
5	> 250 μm	5 %	> 100 μm	1-7%
,	> 355 µm	0%	> 160 μm	0-1%
	,		> 250 μm	0%

The starch may be rice, wheat or corn starch. Corn starch is alternatively termed maize starch and is preferred. A powder of starch of a particle size of from 30 to 150 µm is typically used as a starting material. The starch may be a partially pregelatinised starch such as Starch 1500 manufactured by Colorcon, Indianapolis, Indiana 46218, US, or a fully gelatinised starch such as National 1551.

The crystalline cellulose typically is a powder of, for example, an average particle size of from 40 to 100μm such as from 50 to 90μm. A suitable crystalline cellulose is Avicel PH 102 having an average particle size of 90μm. Crystalline cellulose is alternatively called microcrystalline cellulose.

Any suitable polyvinylpyrrolidone capable of acting as a binder can be employed. The polyvinylpyrrolidone may be a linear polymer of 1-vinyl-2-pyrrolidone having an average molecular weight of about 40000, such as Povidone K30. Alternatively, a linear polymer of 1-vinyl-2-pyrrolidone having an average molecular weight of about 1200000, such as Povidone K90, may be employed.

The powder that is produced by spray granulation and, if necessary, subsequent sieving is then introduced into a container which is then closed. The container may be sealed. It may be a single-dose or multi-dose container. The container may be jar, bag or sachet. Sachets, especially foil sachets, are particularly suitable.

The following Examples illustrate the invention.

- 7 -

Exam	ple	1

1 Kg of each of five powders was prepared by spray granulation. The formula for each powder is as follows:

5	Formula A (comparison)
	Lamotrigine 125µm 1.0% by weight
	Lactose Fastflo 91.0% by weight
	Povidone K30 British
	Pharmacopoeia (BP) 8.0% by weight
10	
	Lamotrigine 125 μ m is lamotrigine having particle
	sizes up to 125µm. Lactose Fastflo is an anhydrous spray-
	dried lactose manufactured by Wisconsin Dairies, Baraboo,
	Wisconsin 53913, U.S
15	
	Formula B (comparison)
	Lamotrigine 125 μ m
	Lactose Fastflo
	Lactose DCL21
20	Povidone K30 BP 8.0% by weight
	Hydroxypropylcellulose low substitution
	(LHPC-11) 5.0% by weight
	Pormula C (invention)
25	Lamotrigine 125µm 1.0% by weight
23	Lactose DCL21
	Pregelatinised Maize (Corn) Starch
	BP/USNF (Starch 1500)
	Microcrystalline cellulose BP
30	(Avicel PH 102) 5.0% by weight
30	Povidone K30 BP 8.0% by weight
	Formula D (comparison)
	Lamotrigine 125 μ m 1.0% by weight
35	Pregelatinised Maize (Corn) Starch
	BP/USNF (Starch 1500) 86.0% by weight
	Hydroxypropylcellulose

	· - 8 -
	low substitution (LHPC-11) 5.0% by weight
	Povidone K30 BP 8.0% by weight
	Formula E (comparison)
5	Lamotrigine 125 μ m 1.0% by weight
	Pregelatinised Maize Starch
	BP/USNF (Starch 1500) 91.0% by weight
	Povidone K30 BP 8.0% by weight
10	Formula C was spray-granulated as follows as 2 \times 5 kg
	sub-lots:

- 1. A Povidone binder solution was prepared and stored at room temperature.
- The pregelatinised starch was passed through a
 250μm sieve to remove any large agglomerates.
 - 3. The lamotrigine, lactose, starch and Avicel PH102 were pre-blended in a Collette mixer as a precautionary measure to facilitate uniform lamotrigine distribution.
- 20 4. The powder was spray-granulated in a Glatt GPCG5 granulator using a Schlick spray gun of nozzle aperture 1.2mm utilising atomising air at a pressure of 2 bars. The binder solution pumping rate was approximately 90ml per minute. The inlet air temperature was controlled at 72°C and an air volume of between 150-250m³ per hour was utilised to provide sufficient fluidisation to allow drying and granulation to occur simultaneously. The drier bags were shaken for approximately 6 seconds at 1.5 minute intervals to remove fine powder.
- 30 5. During granulation the product temperature was recorded. This temperature was typically 32-34°C but once spraying had been completed this rose shortly afterwards to 45-50°C indicating that final drying was occurring. The overall process time was of the order of 1 hour per sub-
 - 6. The two sub-lots of granules were then blended in a large polythene bag and finally sieved through a

Russell Finex sieve using screen of $710\mu m$ and $100\mu m$ to remove under and over-sized components of the granules.

Formulae A, B, D and E were spray-granulated in analogous fashion. Powders of free-flowing white granules were obtained in the case of formulae A to C and E. Formula D gave a powder which was severely overmassed. A substantial proportion of particles were oversize. This powder was not therefore satisfactory and was not tested further. The properties of the powders obtained from formulae A to C and E are as follows:

					or a ministra
	Pormula	A	В	С	E
	Yield %	91.8	80.5	87.4	86.3
15	Moisture %	0.68	1.21	2.46	0.65
	Untamped Bulk Density g/cm ³	0.40	0.53	0.37	0.50
20	% by weight of granules over 850µm in size	0%	0%	0%	0%
	<pre>% by weight of granules over 500µm in size</pre>	4.8	1.2	8.1	2.0
25	% by weight of granules over 75µm in size	94.8	97.8	92.5	97.4
	Disintegration Test	Complies	Complies	Complies	Complies

30 Disintegration Test, The Pharmacopoeia of Japan, twelfth edition, 1991.

Initially, 9.8% by weight of the powder obtained from formula B did not pass through a 500 µm sieve. The powder was therefore resieved through a 500 µm sieve. Subsequent sieve analysis showed that only 1.2% of the powder then did not pass through a 500 µm test sieve. Different 500 µm sieves were used for the resieving and the subsequent testing, which accounts for why some powder still did not

WO 96/17611 PCT/GB95/02865

- 10 -

pass through the 500 µm test sieve.

Example 2

5 General

The effect of temperature, humidity and artificial light was studied on the stability of the powders obtained in Example 1 according to formulae A to C and E. The powders were stored for two months at 40°C and 75% relative humidity (R.H.) in both amber glass bottles closed with plastic caps and open amber glass bottles. They were also stored at 50°C and 60°C for 2 months in amber glass bottles closed with plastic caps. Further, they were stored at 25°C under artificial light conditions (1000 lux) for up to 1.2 million lux.hr total irradiation.

Test Items

The following parameters were monitored to evaluate the stability of the formulations:

20

1. Appearance

2. Loss on drying

Conditions of 60°C in vacuo for 3 hours were employed for formulae A and B. Conditions of 60°C in vacuo for 6 hours were employed for formulae C and E. These test conditions were decided with reference to the test conditions of lactose and starch in The Pharmacopoeia of Japan, twelfth edition, 1991.

30

Assay and related substances

A lamotrigine assay and a purity test were conducted by high pressure liquid chromatography (hplc).

35 4. Dissolution test

Dissolution of the powders was studied using the Dissolution Test, method 2 (paddle method) of The

WO 96/17611 PCT/GB95/02865

- 11 -

Pharmacopoeia of Japan, twelfth edition, 1991. The time points of sampling were 15, 30 and 45 min and 0.1 N hydrochloric acid was used as the test solution.

Lamotrigine was detected by ultraviolet absorption.

5

Results

1. Appearance

Under 40°C and 75% R.H., all of the powders in open glass bottles formed lumps in the high humidity and had turned pale yellowish white in colour. The colour of, in particular, the powder of formula B easily changed under severe conditions compared to the colour of the other particles. Results are shown in Tables 1 to 5 below.

15

2. Loss on drying

Formula E was the most hygroscopic powder. The results are shown in Tables 1 to 5.

20 3. Assay and related substances

powder was that obtained from formula E and the most unstable powder was that from formula A under the high humidity conditions such as 40°C, 75% R.H., open glass bottle conditions.

4. Dissolution test

All of the formulations showed rapid dissolution.

More than 90% of the lamotrigine in each powder was

dissolved within 15 minutes.

Granules Stored under 40°C. 75% R.H. Conditions Table 1: (Container: Closed Glass Bottles).

Test Items	Formula	Storage Period				
		Initial	1 month	2 months		
Appearance	A	White powder	White powder	White powder		
	В	White powder	White powder	Pale yellowish white powder		
	С	White powder	White powder	White powder		
	B	White powder	White powder	White powder		
Loss on Drying	А	1.15 ± 0.10°	1.40 ± 0.01	1.23 ± 0.02		
(n=3, * by	В	1.63 ± 0.16	1.67 ± 0.02	1.81 ± 0.07		
weight)	с .	4.29 ± 0.12	4.98 + 0.17	4.78 ± 0.01		
	R	7.27 ± 0.16	7.44 ± 0.07	7.24 ± 0.02		

· : Mean + S.D.

Granules Stored under 40°C, 75% R.H. Conditions Table 2: (Container: Open Glass Bottles).

Test Items	Formula	_	Storage Period	
1480 104		Initial	1 month	2 months
Appearance	A	White powder	Pale yellowish white cake	Pale- yellowish white cake
	В	White powder	Pale yellowish white cake	Pale. yellowish white cake
	С	White powder	Pale yellowish white cake	Pale yellowish white cake
	В	White powder	Pale yellowish white cake	Pale yellowish white cake
Loss on	A	1.15 ± 0.10	1.03 ± 0.31	2.15 ± 0.02
Drying	В	1.63 ± 0.16	1.05 ± 0.03	2.65 ± 0.03
(n=3, t by weight)	c	4.29 + 0.12	3.69 ± 0.20	8.24 ± 0.05
	E	7.27 ± 0.16	6.66 ± 0.24	14.32 ± 0.0

25 : Mean \pm S.D.

Table 3: Granules Stored under 50°C Condition

(Container: Closed Glass Bottles).

5

Test Items	Formula	. Storage Period			
		Initial	1 month	2 months	
Appearance	A	White powder	White powder	White powder	
	В	White powder	White powder	White powder	
	С	White powder	White powder	White powder	
	B	White powder	White powder	White powder	
Lose on Drying	A	1.15 ± 0.10°	0.94 ± 0.11	0.59 ± 0.15	
(n=3, % by weight)	В	1.63 + 0.16	1.57 ± 0.19	1.05 ± 0.13	
,	C	4.29 ± 0.12	4.12 ± 0.11	3.76 ± 0.15	
	В	7.27 ± 0.16	7.04 ± 0.12	6.57 ± 0.14	

: Mean ± S.D.

15

10

Table 4: Granules Stored under 60°C Condition

(Container: Closed Glass Bottles).

20

Test Items	Formula	Storage Period			
		Initial	1 month	2 months	
Appearance	A	White powder	White powder	White powder	
	В	White powder	Pale yellowish white powder	Pale yellowish white powder	
	С	White powder	Pale yellowish white powder	Pale yellowish white powder	
	R	White powder	White powder	White powder	
Loss on Drying	А	1.15 ± 0.10°	0.58 ± 0.11	0.42 ± 0.03	
(n=3, % by weight)	В	1.63 ± 0.16	0.75 ± 0.14	0.64 ± 0.08	
metaur,	С	4.29 <u>+</u> 0.12	3.61 ± 0.11	3.13 ± 0.04	
	В	7.27 ± 0.16	6.71 ± 0.17	6.03 ± 0.03	

25

· : Mean + S.D.

......

. .

Table 5: Granules Stored under 25°C, 1000 lux

Irradiation (Container: Glass Dishes).

5	

20

	Test Items	Formula	Storage Period			
			Initial	0.6 million lux.hr	1.2 million lux.hr	
10	Appearance	A	White powder	White powder	White powder	
-		В	White powder	White powder	White powder	
- 1		C .	White powder	White powder	White powder	
[E	White powder	White powder	White powder	
	Loss on Drying	A	1.15 ± 0.10	_••	1.43 ± 0.06	
	(n=3, % by	В	1.63 ± 0.16	-	1.90 ± 0.03	
ļ	weight)	c	4.29 ± 0.12		5.34 ± 0.05	
		В	7.27 ± 0.16	-	9.03 ± 0.07	

15 : Mean + S.D.
 : Not examined

Conclusion

Formula A (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. Under high humidity conditions, however, it became slightly unstable.

25 Formula B (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. However, it changed colour the most easily. Under high humidity conditions it became slightly unstable.

A STATE OF

. 145

Formula C (invention)

The powder of this formulation was stable under high temperature conditions without humidity. It was also stable under high humidity conditions.

5

Formula E (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. It was also stable under high humidity conditions. Under high humidity conditions, however, it absorbed the most moisture.

Example 3

Powders were prepared by spray granulation of each of the following formulae:

15

30

		Formula 1	Formula 2
	Lamotrigine 125µm	1.0% by weight	10.0% by weight
	Lactose, DMV 200 mesh	43.0% by weight	38.50% by weight
	Starch 1500	43.0% by weight	38.50% by weight
20	Avicel PH102	5.0% by weight	5.0% by weight
	Povidone K30	8.0% by weight	8.0% by weight

50g of lamotrigine 125µm and 2150g of each of Lactose DMV 200 mesh and Starch 1500 (Formula 1) or 500g of
25 lamotrigine 125µm and 1925g of each of Lactose DMV 200 mesh and Starch 1500 (Formula 2) were mixed together with 250g of Avicel PH102 and 200g of Povidone K30 in a Collette Planetary mixer for 3 minutes. An approximately uniform pre-blend of powders is thus produced.

Separately, 200g of Povidone K30, the second half of the Povidone K30, was dissolved in 600ml of demineralised water. That was then made up to 1000ml to give a 20% solids solution. This was used as the granulating solution.

The pre-blend of powders was added to a Freund SFC rotor granulator. This is a type of fluid bed granulator and provides a rotary type fluidization action on powders in order to achieve a suitable granule distribution. The

...

ď.

25

granulating solution was sprayed onto the fluidizing powders as a fine mist via an air type spray gun system. The addition of the granulating solution in this way resulted in the powders adhering together to form suitably sized granule particles. The process was continued until all the granulating solution had been added and the granules were of a suitable size.

More especially the following parameters were used on the Freund SFC granulator:

- 10 1) Inlet air temperature 80°C
 - 2) Rotor speed 300 rpm
 - 3) Agitator speed 450rpm
 - 4) Chopper speed 1500rpm
 - 5) Inlet air Volume 2.9m³/hr
- 15 6) Atomizing air pressure 4kg/cm²
 - 7) Spray Nozzle Size 1.8mm
 - 8) Spray rate 45g/min

Using these parameters the required granules were produced employing:

- 20 1) Inlet air temperature 75-80°C
 - 2) Outlet air temperature 28-32°C
 - 3) Product temperature 28-35°C
 - 4) Air Volume 2.9-3.0m3/hr
 - 5) Spray rate 40-43g/min
 - 6) Time to granulate powders 22min
 - 7) Time to dry granule 11 min

The prepared granules were then passed through a sieve fitted with 850, 500 and 75µm sieves. The granules were sieved to the desired particle size requirements. In particular, no granules had a particle size greater than 850µm. At least 90% by weight of the granules had a particle size of from 75 to 850µm. Not more than 5% by weight of the granules had a particle size of greater than 500µm. The oversized and undersized granules were used.

35 Each powder has the following further properties:

(i) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia

- 17 -

of Japan, twelfth edition, 1991, and

(ii) at least 90% by weight of the lamotrigine dissolves within 30 minutes according to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of
 Japan, twelfth edition, 1991.

30

CLAIMS

- 1. A pharmaceutical formulation which comprises:
- (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
 - (b) from 15 to 50% by weight of lactose,
 - (c) from 15 to 50% by weight of starch,
- (d) from 0.5 to 15% by weight of crystalline cellulose, and
 - (e) from 5 to 15% by weight of
- 10 polyvinylpyrrolidone,

and which is in the form of a free-flowing powder of granules having the following properties:

- (i) no granules have a particle size of greater than $850\mu m$,
- 15 (ii) at least 90% by weight of the granules have a particle size of from 75 to 850μm,
 - (iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and
- 20 (iv) at least 90% by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991,
- 25 2. A formulation according to claim 1, which comprises:
 - (a') from 0.5 to 15% by weight of lamotrigine or a lamotrigine salt,
 - (b') from 35 to 45% by weight of lactose.
 - (c') from 35 to 45% by weight of corn starch,
 - (d') from 3.5 to 6% by weight of crystalline cellulose, and
 - (e') from 6 to 9% by weight of polyvinylpyrrolidone.
- 3. A formulation according to claim 2, which
 35 comprises 1% by weight of lamotrigine, 43% by weight of
 each of lactose and starch, 5% by weight of crystalline
 cellulose and 8% by weight of polyvinylpyrrolidone.

- 4. A formulation according to claim 2, which comprises 10% by weight of lamotrigine 38.5% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.
- 5. A formulation according to any one of the preceding claims, wherein not more than 5% by weight of the granules have a particle size of greater than 500μm.
- 6. A formulation according to any one of the preceding claims, wherein the powder has a bulk density of from 0.36 to 0.40 g/cm³.
 - 7. A formulation according to any one of the preceding claims, wherein the starch is corn starch.
 - 8. A process for the preparation of a pharmaceutical formulation which comprises
- 15 (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
 - (b) from 15 to 50% by weight of lactose,
 - (c) from 15 to 50% by weight of starch,
- (d) from 0.5 to 15% by weight of crystalline 20 cellulose, and
 - (e) from 5 to 15% by weight of polyvinylpyrrolidone, and which is in the form of a free-flowing powder of granules having the following properties.
- 25 (i) no granules have a particle size of greater than $850\mu m$,
 - (ii) at least 90% by weight of the granules have a particle size of from 75 to $850\,\mu\text{m}$,
- (iii) the granules disintegrate within 30 minutes
 30 according to the Disintegration Test of The Pharmacopoeia
 of Japan, twelfth edition, 1991, and
- (iv) at least 90% by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution
 35 Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991, which process comprises spray-granulating the lamotrigine

or lamotrigine salt, lactose, corn starch and crystalline cellulose in the presence of, as a binder, polyvinylpyrrolidone.

1 ational Application No PCT/GB 95/02865

A. CLASSIFICATION OF SUBJECT MATTER 1PC 6 A61K31/53 A61K9/00 A61K9/20 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 A61K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages Category ' FR.A.2 702 149 (RHONE-POULENC RORER S.A.) 1-8 Y 9 September 1994 see page 2, line 23 - line 27 see examples A,B WO,A,94 13296 (RHONE-POULENC RORER S.A.) 1-8 23 June 1994 see page 3, line 26 - line 30 see examples A.B 1-8 WO.A.94 21260 (THE WELLCOME FOUNDATION LIMITED) 29 September 1994 see example 4 1-8 Y WO,A,94 21261 (THE WELLCOME FOUNDATION LIMITED) 29 September 1994 see example 2 -/--Petent family members are tisted in annex. Further documents are listed in the continuation of box C. * Special categories of cited documents: "I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international filing date "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority daim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention camet be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "O" document referring to an oral disclosure, use, exhibition or other means

5 March 1996

Name and mailing address of the ISA

document published prior to the international filing date but later than the priority date claimed

European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Td. (+31-70) 340-2040, Tz. 31 651 epo m. Paz (+31-70) 340-3016

Date of the actual completion of the international search

.

"A" document member of the same patent family

Date of mailing of the international search report

Authorized officer

Scarponi, U

12. 03. 96

L ational Application No PCT/GB 95/02865

		PCT/GB 95/02865
	sion) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Muster
Y	WO,A,93 16700 (THE WELLCOME FOUNDATION LIMITED) 2 September 1993 see example 8	1-8
Y	FR.A.2 700 114 (RHONE-POULENC RORER S.A.) 8 July 1994 see claims see examples A.B	1-8
Y	WO,A,94 20108 (RHONE-POULENC RORER S.A.) 15 September 1994 see examples A,B	1-8
A	GB,A,2 278 857 (THE WELLCOME FOUNDATION LIMITED) 23 November 1994 see the whole document	1-8
	<u>'</u>	
	·	
	:	
	·	
		·

Information on patent family members

PCT/GB 95/02865

				T
Patent document cited in search report	Publication date	Patent family member(s)		Publication date
FR-A-2702149	69-69-94	NONE		
WO-A-9413296	23-06-94	FR-A-	2699077	17-06-94
NO 11 0 120222		AU-B-	5653994	04-07-94
		AU-B-	5654094	04-07-94
		AU-B-	5702094	04- 0 7-94
		CA-A-	2151601	23-06-94
		CA-A-	2151603	23-06-94
		CA-A-	2151604	23-86-94
		. CZ-A-	9501545	15-11-95
		CZ-A-	9501546	15-11-95
		CZ-A-	9501547	15-11-95
	•	EP-A-	8674528	04-10-95
		EP-A-	9674512	64-10-95
		EP-A-	9674518	04-10-95
		WO-A-	9413298	23-06-94
		MO-A-	9413288	23-06-94 17-06-94
		FR-A-	2699079	17-06-94
		FR-A-	2699078	96-96-95
		NO-A-	952228 952229	06-86-95
		NO-A- NO-A-	952230	06-06-95
		NU-A- PL-A-	309346	02-10-95
		PL-A-	309347	02-10-95
		PL-A-	309348	02-10-95
		ZA-A-	9309399	22-08-94
		ZA-A-	9309400	19-08-94
		ZA-A-	9309401	19-08-94
WO-A-9421260	29-09-94	AU-B-	6217694	11-10-94
MA -W. SAFTEAA	E3 43 54	EP-A-	0689439	93-91-96
WO-A-9421261	29-09-94	AU-B-	6217794	11-10-94
NA -V- 3-PYEAT	-	EP-A-	0689440	03-01-96
WO-A-9316700	02-09-93	AU-B-	3509293	13-09-93
HA U SATALOA	41 47 79	EP-A-	9626851	87-12-94
	,	GB-A,B	2277265	26-10-94
		JP-T-	7503968	27-84-95

Information on patent family members

PCT/GB 95/02865

info	Information on patent family members			PCT/GB 95/02865		
Patent document cited in szarch report	Publication date	Patent family member(#)		Publication date		
FR-A-2700114	98-97-94 _.	FR-A- AU-B- AU-B- CZ-A- CZ-A- EP-A- EP-A- FR-A- WO-A- WO-A- NO-A- PL-A- PL-A- ZA-A-	2780117 5818894 5818994 5819094 9501764 9501765 0678023 0678026 2700115 9415601 9415610 9415607 952309 952310 309594 309596 86795 9400026 9400028	08-07-94 15-08-94 15-08-94 15-08-94 13-12-95 13-12-95 25-10-95 25-10-95 08-07-94 21-07-94 21-07-94 21-07-94 12-06-95 12-06-95 30-10-95 08-11-95 11-08-94		
WO-A-9420108	15-09-94	ZA-A- FR-A- AU-B- AU-B- CA-A- CA-A- CZ-A- CZ-A- EP-A- EP-A- WO-A- NO-A- NO-A- NO-A-	9400032 2702148 6143794 6143894 6143994 2154571 2154572 2154573 9502259 9502260 9502261 0687176 0687177 9420103 9420110 953370 953371 953372	11-08-94 11-08-94 		
		PL-A-	310474	11-12-95		

Information on patent family members

. .attonal Application No PCT/GB 95/02865

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WD-A-9420108		PL-A-	310475	11-12-95
We 1/ 2 / 20200		PL-A-	310476	11-12-95
GB-A-2278057	23-11-94	AT-T-	133068	15-02-96
GD-X-2270007		AU-B-	653203	22-89-94
		AU-B-	1186392	07-89-92
		AU-B-	659581	18-05-95
		AU-B-	6745494	08-09-94
		BE-A-	1004461	24-11-92
		CZ-A-	9301082	19-01-94
		DE-T-	4298388	0 7-10-93
		DE-D-	69207656	29-02-96
		EP-A-	0522128	13-01-93
		FR-A-	2671970	31 -0 7-92
		WO-A-	9213527	20-08-92
		GB-A.B	2257363	13-01-93
		HU-A-	67019	30-81-95
		JP-T-	6504544	26-05 -94
		LU-A-	88323	05-01-94
		NL-T-	9220 80 9	01-11-93
		SK-A-	81793	09-03-94
		EP-A-	0685231	06-12 -9 5